



**5W-40 API CK-4SN**  
**Full Synthetic HDDEO**  
Safety Data Sheet

SDS ID: 820447

**Section 1 - PRODUCT AND COMPANY IDENTIFICATION**

**Material Name**

PROTECT 5W-40 API CK-4SN Full Synthetic HDDEO

**Product Code**

22D540X

**Product Use**

Motor oil. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

**Restrictions on Use**

None known.

**FOR PRODUCT MANUFACTURED IN THE U.S.A.:**

**MANUFACTURER**

Safety-Kleen Systems, Inc.  
42 Longwater Drive  
Norwell, MA 02061-9149  
U.S.A.

**SUPPLIER (in Canada)**

Safety-Kleen Systems, Inc.  
25 Regan Road  
Brampton, Ontario, L7A 1B2  
Canada

**FOR PRODUCT MANUFACTURED IN CANADA:**

**MANUFACTURER**

Safety-Kleen Systems, Inc.  
25 Regan Road  
Brampton, Ontario, L7A 1B2  
Canada

**SUPPLIER (in the U.S.A.)**

Safety-Kleen Systems, Inc.  
42 Longwater Drive  
Norwell, MA 02061-9149  
U.S.A.

[www.safety-kleen.com](http://www.safety-kleen.com)

Phone: 1-800-669-5740

Emergency Phone #: 1-800-468-1760

**Issue Date**

January 25, 2022

**Supersedes Issue Date**

New Issue SDS

**Original Issue Date**

January 25, 2022

**Section 2 - HAZARDS IDENTIFICATION**

**Classification in accordance with Schedule 1 of Canada's Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200 in the United States**

None needed according to classification criteria.

**GHS Label Elements**

**Symbol(s)**

None needed according to classification criteria.

**Signal Word**

None needed according to classification criteria

**Hazard Statement(s)**

None needed according to classification criteria.

**Precautionary Statement(s)**

# Safety Data Sheet

Material Name: PROTECT 5W-40 API CK-4SN Full Synthetic HDDEO

SDS ID: 820447

## Prevention

None needed according to classification criteria.

## Response

None needed according to classification criteria.

## Storage

None needed according to classification criteria.

## Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
64742-54-7	Distillates, petroleum, hydrotreated heavy paraffinic	0-80
Proprietary	Hydrocarbon polymer	0-20
Mixture	Mineral oil	0-10
64742-65-0	Distillates, petroleum, solvent-dewaxed heavy paraffinic	0-5
72623-87-1	Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	0-10
74499-35-7	Phenol, (tetrapropenyl) derivatives	0-1
Proprietary	Calcium sulfonate	0-1

## Section 4 - FIRST AID MEASURES

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention, if needed.

### Skin

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if needed.

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention, if needed.

### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

### Most Important Symptoms/Effects

#### Acute

May cause serious skin or eye damage.

#### Delayed

May damage fertility or the unborn child,

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively. Aspiration may occur during swallowing or vomiting, resulting in lung damage. If vomiting occurs, keep head lower than hips to help prevent aspiration.

## Safety Data Sheet

Material Name: PROTECT 5W-40 API CK-4SN Full Synthetic HDDEO

SDS ID: 820447

### Section 5 - FIRE FIGHTING MEASURES

#### Extinguishing Media

##### Suitable Extinguishing Media

Carbon dioxide, regular foam, dry chemical, water spray, or water fog. Water or foam may cause frothing.

##### Unsuitable Extinguishing Media

Avoid using a direct stream of water.

#### Special Hazards Arising from the Chemical

Slight fire hazard.

#### Hazardous Combustion Products

Carbon monoxide, smoke, aldehydes, oxides of sulfur, nitrogen, phosphorus, calcium, copper, magnesium, and sodium, and hydrogen sulfide.

#### Advice for firefighters

Directly spraying water or foam onto hot burning product may cause frothing.

#### Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Keep unnecessary people away, isolate hazard area, and deny entry.

#### Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

### Section 6 - ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

Avoid breathing vapor. Avoid contact with skin, eyes and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear personal protective clothing and equipment, see Section 8.

#### Methods and Materials for Containment and Cleaning Up

Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Isolate hazard area. Keep unnecessary people away, isolate hazard area and deny entry. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, spark proof tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal. There may be specific regulatory reporting requirements associated with spills, leaks, or releases of this product. Also see SECTION 15: REGULATORY INFORMATION.

### Section 7 - HANDLING AND STORAGE

#### Precautions for Safe Handling

Keep away from sparks or flame. Where flammable mixtures may be present, equipment safe for such locations should be used. Use clean tools. When transferring large volumes of product, metal containers, including trucks and tank cars, should be grounded and bonded. These products have a low vapor pressure and are not expected to present an inhalation hazard under normal temperatures and pressures. However, when aerosolizing, misting, or heating these products, do not breathe vapor or mist. Use in a well ventilated area. Avoid contact with: Skin, eyes, clothing, shoes. Wash thoroughly after handling. Do not eat, drink, or smoke when using this product. Read label before use. Do not handle until all safety precautions have been read and understood. Use Personal Protective equipment as required.

# Safety Data Sheet

Material Name: PROTECT 5W-40 API CK-4SN Full Synthetic HDDEO

SDS ID: 820447

## Conditions for Safe Storage, Including any Incompatibilities

Store locked up.

Keep container tightly closed and properly labeled. Store in a cool, dry, well-ventilated area. Store away from heat and direct sunlight. Avoid contact with strong oxidizers. Keep container sealed when not in use.

Keep container sealed when not in use. Store and handle in accordance with all current regulations and standards. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Empty product containers may retain product residue and can be dangerous.

## Incompatible Materials

Strong oxidizing agents, strong acids.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### Component Exposure Limits

Canada and ACGIH have not developed exposure limits for any of this product's components.

### ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

### Engineering Controls

Provide general ventilation. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls

### Individual Protection Measures, such as Personal Protective Equipment

#### Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

#### Respiratory Protection

Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

#### Glove Recommendations

Where skin contact is likely, wear chemical impervious protective gloves; use of natural rubber or equivalent gloves is not recommended. When products are heated and skin contact is likely, wear heat-resistant gloves, boots, and other protective clothing. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant faceshield, boots, apron, coveralls, long sleeve shirts, or other protective clothing.

#### Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, gloves, lab coat or apron.

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Amber to brown liquid	<b>Physical State</b>	liquid
<b>Odor</b>	Mild	<b>Color</b>	Amber to brown
<b>Odor Threshold</b>	Not available	<b>pH</b>	Not available
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	Not available
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	Not available
<b>Evaporation Rate</b>	Not available	<b>Flammability (solid, gas)</b>	Not available

## Safety Data Sheet

Material Name: PROTECT 5W-40 API CK-4SN Full Synthetic HDDEO

SDS ID: 820447

<b>Autoignition Temperature</b>	Not available	<b>Flash Point</b>	>200 °C [Pensky-Martens Closed Cup ] (392 °F )
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	Not available
<b>Vapor Density (air=1)</b>	Not available	<b>Specific Gravity (water=1)</b>	Not available
<b>Water Solubility</b>	(Insoluble )	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	93.3 mm <sup>2</sup> /s 40 °C (104 °F )	<b>Kinematic viscosity</b>	Not available
<b>Solubility (Other)</b>	Not available	<b>Density</b>	0.832 - 0.872 at 15.6 °C (60 °F )
<b>Physical Form</b>	Liquid	<b>Pour Point</b>	-45 °C
<b>Molecular Weight</b>	Not available		

### Section 10 - STABILITY AND REACTIVITY

#### Reactivity

No reactivity hazard is expected.

#### Chemical Stability

Stable under normal conditions.

#### Possibility of Hazardous Reactions

Hazardous polymerization is not expected to occur.

#### Conditions to Avoid

Avoid exposure to high temperature.

#### Incompatible Materials

Strong oxidizing agents, strong acids.

#### Hazardous decomposition products

Carbon monoxide, aldehydes, oxides of sulfur, nitrogen, phosphorus, calcium, copper, magnesium, and sodium, and hydrogen sulfide and smoke.

### Section 11 - TOXICOLOGICAL INFORMATION

#### Information on Likely Routes of Exposure

##### Inhalation

No information on significant adverse effects.

##### Skin Contact

Prolong and repeated contact may cause dermatitis.

##### Eye Contact

May cause serious eye irritation.

##### Ingestion

Aspiration into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.

# Safety Data Sheet

Material Name: PROTECT 5W-40 API CK-4SN Full Synthetic HDDEO

SDS ID: 820447

## Acute and Chronic Toxicity

### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

#### **Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7)**

Oral LD50 Rat >15 g/kg (no deaths occurred ); Dermal LD50 Rabbit >5000 mg/kg (no deaths occurred )

#### **Distillates, petroleum, solvent-dewaxed heavy paraffinic (64742-65-0)**

Oral LD50 Rat >15000 mg/kg (no deaths occurred); Dermal LD50 Rabbit >5000 mg/kg (no deaths occurred)

Inhalation LC50 Rat >2400 mg/m<sup>3</sup> 4 h (no deaths occurred )

#### **Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based (72623-87-1)**

Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >2000 mg/kg; Inhalation LC50 Rat 2.18 mg/L 4 h

## Product Toxicity Data

### Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Oral	> 2000 mg/kg

### Immediate Effects

May cause serious eye or skin irritation.

### Delayed Effects

May damage fertility or the unborn child.

### Irritation/Corrosivity Data

Repeated and prolonged contact may dermatitis.

### Respiratory Sensitization

No information available for the product.

### Dermal Sensitization

No information available for the product.

### Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

### Germ Cell Mutagenicity

No information available for the product.

### Tumorigenic Data

No information available for the product.

### Reproductive Toxicity

May damage fertility or the unborn child.

### Specific Target Organ Toxicity - Single Exposure

No information on significant adverse effects.

### Specific Target Organ Toxicity - Repeated Exposure

No information on significant adverse effects.

### Aspiration hazard

Aspiration into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.

### Medical Conditions Aggravated by Exposure

No data available.

## Safety Data Sheet

Material Name: PROTECT 5W-40 API CK-4SN Full Synthetic HDDEO

SDS ID: 820447

### Section 12 - ECOLOGICAL INFORMATION

#### Component Analysis - Aquatic Toxicity

<b>Distillates, petroleum, hydrotreated heavy paraffinic</b>	<b>64742-54-7</b>
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID
<b>Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based</b>	<b>72623-87-1</b>
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID
<b>Distillates, petroleum, solvent-dewaxed heavy paraffinic</b>	<b>64742-65-0</b>
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID

#### Persistence and Degradability

No information for product is available.

#### Bioaccumulative Potential

No information available for the product.

#### Mobility

No information available for product.

#### Other Toxicity

No information available for the product.

### Section 13 - DISPOSAL CONSIDERATIONS

#### Disposal Methods

Dispose in accordance with all applicable federal, state/regional and local laws and regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact Safety-Kleen regarding proper recycling or disposal.

### Section 14 - TRANSPORT INFORMATION

**US DOT Information:** Not regulated for transportation.

**IATA Information:** Not regulated for transportation.

**IMDG Information:** Not regulated for transportation.

**TDG Information:** Not regulated for transportation.

# Safety Data Sheet

**Material Name: PROTECT 5W-40 API CK-4SN Full Synthetic HDDEO**

**SDS ID: 820447**

**International Bulk Chemical Code**

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

**Section 15 - REGULATORY INFORMATION**

**U.S. Federal Regulations**

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

**SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories**

No hazard categories applicable.

**U.S. State Regulations**

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

**California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)**

Not listed under California Proposition 65.

**Canada Regulations**

**CEPA - Priority Substances List**

None of this product's components are on the list.

**Ozone Depleting Substances**

None of this product's components are on the list.

**Council of Ministers of the Environment - Soil Quality Guidelines**

None of this product's components are on the list.

**Council of Ministers of the Environment - Water Quality Guidelines**

None of this product's components are on the list.

**U.S. Federal Regulations**

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

**Component Analysis - Inventory**

**Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7)**

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1		KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	Yes	Yes	Yes		No
KR - REACH CCA			MX	NZ	PH	TH-TECI	TW	VN (Draft)	
No			Yes	Yes	Yes	No	Yes	Yes	

**Hydrocarbon polymer (Proprietary)**

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1		KR KECI - Annex 2
No	No	No	No	No	No	No	No		No
KR - REACH CCA			MX	NZ	PH	TH-TECI	TW	VN (Draft)	
No			No	No	No	No	No	No	



## Safety Data Sheet

**Material Name: PROTECT 5W-40 API CK-4SN Full Synthetic HDDEO**

**SDS ID: 820447**

### Mineral oil (Mixture)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
No	No	No	No	No	No	No	No	No
KR - REACH CCA			MX	NZ	PH	TH-TECI	TW	VN (Draft)
No			No	No	No	No	No	No

### Distillates, petroleum, solvent-dewaxed heavy paraffinic (64742-65-0)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	No	No	Yes	No
KR - REACH CCA			MX	NZ	PH	TH-TECI	TW	VN (Draft)
No			Yes	Yes	Yes	No	Yes	Yes

### Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based (72623-87-1)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	No	No	Yes	No
KR - REACH CCA			MX	NZ	PH	TH-TECI	TW	VN (Draft)
No			No	Yes	Yes	No	Yes	Yes

### Phenol, (tetrapropenyl) derivatives (74499-35-7)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	NSL	No	Yes	No	No	No	Yes	No
KR - REACH CCA			MX	NZ	PH	TH-TECI	TW	VN (Draft)
No			No	Yes	No	No	Yes	No

## Safety Data Sheet

**Material Name: PROTECT 5W-40 API CK-4SN Full Synthetic HDDEO**

**SDS ID: 820447**

**Calcium sulfonate (Proprietary)**

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
No	No	No	No	No	No	No	No	No
KR - REACH CCA			MX	NZ	PH	TH-TECI	TW	VN (Draft)
No			No	No	No	No	No	No

### Section 16 - OTHER INFORMATION

**NFPA Ratings**

Health: 1 Fire: 1 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

**HMIS Rating**

Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

**Issue Date**

New issue SDS.

**Key / Legend**

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL) , KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; N - Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -

## Safety Data Sheet

**Material Name: PROTECT 5W-40 API CK-4SN Full Synthetic HDDEO**

**SDS ID: 820447**

Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

### **Other Information**

#### **Disclaimer:**

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Safety-Kleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.