



## Safety Data Sheet

Material Name: HTS DISTILLATE

SDS ID: 82426

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

**Material Name**

HTS DISTILLATE

**Product Code**

Prefix 07

**Synonyms**

Fuel oil

**Product Use Recommended Use**

A fuel oil for use in industrial boilers or furnaces. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

**Restrictions on Use**

This product is not for sale or use in the State of California.

**FOR PRODUCT MANUFACTURED IN THE U.S.A.:**

**MANUFACTURER**

Safety-Kleen Systems, Inc.  
42 Longwater Drive  
Norwell, MA 02061-9149  
U.S.A.

**SUPPLIER (in Canada)**

Safety-Kleen Canada, Inc.  
25 Regan Road  
Brampton, Ontario, Canada L7A 1B2

**FOR PRODUCT MANUFACTURED IN CANADA:**

**MANUFACTURER**

Safety-Kleen Canada, Inc.  
25 Regan Road  
Brampton, Ontario, Canada L7A 1B2

**SUPPLIER (in the U.S.A.)**

Safety-Kleen Systems, Inc.  
42 Longwater Drive  
Norwell, MA 02061-9149  
U.S.A.

[www.safety-kleen.com](http://www.safety-kleen.com)

Phone: 1-800-669-5740

Emergency Phone #: 1-800-468-1760

**Issue Date**

January 18, 2018

**Supersedes Issue Date**

April 17, 2017

**Original Issue Date**

August 27, 1991

### Section 2 - HAZARDS IDENTIFICATION

**Classification in accordance with Schedule 1 of Canada's Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200 in the United States**

Flammable Liquids - Category 3

Aspiration Hazard - Category 1

Acute Toxicity - Inhalation - Vapor - Category 3

Carcinogenicity - Category 1B

# Safety Data Sheet

Material Name: HTS DISTILLATE

SDS ID: 82426

## GHS Label Elements

### Symbol(s)



### Signal Word

Danger

### Hazard Statement(s)

Flammable liquid and vapor.

May be fatal if swallowed and enters airways and may cause cancer.

Toxic if inhaled.

### Precautionary Statement(s)

#### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges. Use non-sparking tools. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray.

#### Response

In case of fire: Use carbon dioxide, regular foam, dry chemical, water spray. IF exposed or concerned: Get medical advice/attention.. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

#### Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

#### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Hazard(s) Not Otherwise Classified

Repeated exposure may cause skin dryness or cracking.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
64742-55-8	Distillates, petroleum, hydrotreated light paraffinic	99.9-100
7783-06-4	Hydrogen sulfide	<0.1*

\*The concentration of hydrogen sulfide dissolved in this product is less than 0.1 WT% but may give rise to vapor concentrations in the vapor portions of the storage tanks which may meet exposure limits.

# Safety Data Sheet

Material Name: HTS DISTILLATE

SDS ID: 82426

## Section 4 – FIRST AID MEASURES

### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. If breathing is difficult, oxygen should be administered by qualified personnel.

### Skin

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell.

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.

### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. If spontaneous vomiting occurs, keep head below hips to avoid breathing the product into the lungs. Never give anything by mouth to an unconscious person.

### Most Important Symptoms/Effects

#### Acute

Harmful if inhaled, lung damage (from aspiration).

#### Delayed

Cancer.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident. Inhalation of hydrogen sulfide may cause respiratory depression and lead to death. Pulmonary edema may occur up to 48 hours after exposure – keep under observation.

## Section 5 - FIRE FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Carbon dioxide, regular foam, dry chemical, water spray.

#### Unsuitable Extinguishing Media

Do not use high-pressure water streams.

### Special Hazards Arising from the Chemical

Flammable liquid and vapor.

### Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Upon decomposition, this product emits hydrogen sulfide, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

### Fire Fighting Measures

Move container from fire area if it can be done without risk. Keep storage containers cool with water spray. Empty containers may retain product residue including flammable/explosive vapors. Vapor explosion hazard indoors, outdoors, or in sewers. Vapors may travel to ignition source and flashback. Vapors will spread along the ground and collect in low or confined areas. Run-off to sewer may create a fire hazard. Heated containers may rupture or be thrown into the air. "Empty" containers may retain residue and can be dangerous. Take precautionary measures against static discharges. Use non-sparking tools and equipment.

### Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

## Section 6 - ACCIDENTAL RELEASE MEASURES

# Safety Data Sheet

Material Name: HTS DISTILLATE

SDS ID: 82426

## Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment. This product can generate hydrogen sulfide which can be fatal if inhaled and is a very flammable gas.

## Methods and Materials for Containment and Cleaning Up

Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal. There may be specific federal regulatory reporting requirements associated with spills, leaks, or releases of this product.

## Section 7 - HANDLING AND STORAGE

### Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Where flammable mixtures may be present, equipment safe for such locations should be used. Use clean tools and explosion-proof equipment. Keep away from heat, sparks, open flame, and hot surfaces - No smoking. Keep container tightly closed. When transferring product, metal containers, including trucks and tank cars, should be grounded and bonded. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Do not inhale aerosols, mists, sprays, fumes or vapors. Sense of smell becomes rapidly fatigued and cannot be relied upon to warn of the continuous presence of hydrogen sulfide. Use in a well ventilated area. Do not eat, drink, or smoke when using this product. Avoid contact with eyes Skin clothing shoes. Wear protective gloves/clothing and eye/face protection.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed when not in use and during transport. Store in a dry place. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from flame, sparks, static electricity, or other sources of ignition. Empty product containers may retain product residue and can be dangerous. See SECTION 14: TRANSPORTATION INFORMATION for Packing Group information.

### Incompatible Materials

Strong acids, bases, oxidizing materials, air, moisture, protic solvents.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### Component Exposure Limits

Hydrogen Sulfide	7783-06-4
Alberta, New Brunswick	10 ppm TWA ; 14 mg/m3 TWA; 15 ppm Ceiling ; 21 mg/m3 Ceiling
British Columbia	10 ppm Ceiling
Manitoba	1 ppm TWA
Northwest Territories, Nunavut, Ontario, Saskatchewan	10 ppm TWA; 15 ppm STEL
Nova Scotia, Prince Edward Island	1 ppm TWA; 5 ppm STEL
Quebec	10 ppm TWAEV ; 14 mg/m3 TWAEV; 15 ppm STEV ; 21 mg/m3 STEV

# Safety Data Sheet

**Material Name: HTS DISTILLATE**

**SDS ID: 82426**

Yukon	10 ppm TWA ; 15 mg/m <sup>3</sup> TWA; 15 ppm STEL ; 27 mg/m <sup>3</sup> STEL
ACGIH	1 ppm TWA; 5 ppm STEL
NIOSH	10 ppm Ceiling 10 min; 15 mg/m <sup>3</sup> Ceiling 10 min; 100 ppm IDLH
OSHA (US)	20 ppm Ceiling

**ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)**

There are no biological limit values for any of this product's components.

**Engineering Controls**

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits. Where explosive mixtures may be present, equipment safe for such locations should be used.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/face protection**

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

**Respiratory Protection**

Sense of smell becomes rapidly fatigued and cannot be relied upon to warn of the continuous presence of hydrogen sulfide. Use NIOSH air-certified, air-supplied respirators (self-contained breathing apparatus or air-line) respiratory protective equipment when concentration of hydrogen sulfide may exceed applicable exposure limits. Protection provided by air purifying respirators is limited. Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

**Glove Recommendations**

Where skin contact is likely, wear chemical impervious protective gloves; use of natural rubber (latex), or equivalent gloves is not recommended.

To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant faceshield, boots, apron, whole body suits, or other protective clothing.

**Protective Materials**

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, gloves, and lab coat or apron.

<b>Section 9 - PHYSICAL AND CHEMICAL PROPERTIES</b>
---

<b>Appearance</b>	Clear.	<b>Physical State</b>	Liquid.
<b>Odor</b>	Mild petroleum	<b>Color</b>	Clear red.
<b>Odor Threshold</b>	0.1 ppm (based on hydrogen sulfide)	<b>pH</b>	Not applicable
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	130 - 400 °C (266 to 752 °F Approximate )
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	Not available

# Safety Data Sheet

Material Name: HTS DISTILLATE

SDS ID: 82426

<b>Evaporation Rate</b>	Not available	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition Temperature</b>	210 °C (410 °F)	<b>Flash Point</b>	46.7 °C
<b>Lower Explosive Limit</b>	0.7 vol%	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	5 vol%	<b>Vapor Pressure</b>	5 mmHg @ 100°F °C (38° C )
<b>Vapor Density (air=1)</b>	4.5 (Air = 1 )	<b>Specific Gravity (water=1)</b>	0.85 (Approximate Water = 1 )
<b>Water Solubility</b>	(Insoluble )	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	Not available	<b>Solubility (Other)</b>	Not available
<b>Density</b>	7 lb/gal (US Approximate )	<b>Physical Form</b>	liquid.
<b>Pour Point</b>	-9 °C (16 °F Maximum )	<b>Volatility</b>	100 WT%; 7.1 LB/US gal; 850 g/L (approx.) As per 40 CFR Part 51.100(s)
<b>Molecular Weight</b>	Not available		

## Other Information

No additional information is available.

## Section 10 - STABILITY AND REACTIVITY

### Reactivity

No reactivity hazard is expected.

### Chemical Stability

Stable under normal temperatures and pressures.

### Possibility of Hazardous Reactions

Polymerization is not known to occur under normal temperature and pressures. Not reactive with water.

### Conditions to Avoid

Avoid contact with incompatible materials.

### Incompatible Materials

This product may react with strong acids, bases, oxidizing agents, protic solvents, air or moisture.

### Hazardous decomposition products

Decomposition and combustion materials may be toxic. Decomposition products may include hydrogen sulfide, oxides of carbon, low molecular weight hydrocarbons.

## Section 11 - TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Inhalation

Harmful if inhaled. Causes irritation, lung damage, cancer.

#### Skin Contact

May cause skin irritation. May cause skin disorders.

#### Eye Contact

May cause eye irritation.

#### Ingestion

Irritation, may be fatal if swallowed and enters airways. May cause irritation, diarrhea, lung damage (from aspiration).

# Safety Data Sheet

Material Name: HTS DISTILLATE

SDS ID: 82426

## Acute and Chronic Toxicity

### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

#### **Distillates, petroleum, hydrotreated light paraffinic (64742-55-8)**

Oral LD50 Rat >5000 mg/kg (no deaths occurred ) (related to Kerosene, petroleum)

Dermal LD50 Rabbit >2000 mg/kg (no deaths occurred ) (related to Kerosene, petroleum)

Inhalation LC50 Rat 3900 mg/m<sup>3</sup> 4 h

#### **Hydrogen Sulfide (7783-06-4)**

Inhalation LC50 Rat 0.99 mg/L 1 h

## Product Toxicity Data

### Acute Toxicity Estimate

Not available.

### Immediate Effects

Harmful if inhaled. May be fatal if swallowed and enters airways. May irritate the respiratory tract (nose, throat, and lungs), eyes, and skin. May be harmful if swallowed.

### Delayed Effects

Cancer. Prolonged or repeated eye contact may cause inflammation of the membrane lining the eyelids and covering the eyeball (conjunctivitis). Prolonged or repeated skin contact may cause drying, cracking, redness, itching, and/or swelling (dermatitis). Prolonged or repeated exposure may cause central nervous system and blood damage.

### Irritation/Corrosivity Data

May cause skin irritation respiratory tract irritation eye irritation.

### Respiratory Sensitization

Based on best current information, there is no known human sensitization associated with this product.

### Dermal Sensitization

Based on best current information, there is no known human sensitization associated with this product.

### Component Carcinogenicity

<b>Distillates, petroleum, hydrotreated light paraffinic</b>	<b>64742-55-8</b>
ACGIH:	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans (related to Kerosene, petroleum)

### Germ Cell Mutagenicity

Experimental evidence suggests that this product does not cause mutagenesis. However, a similar material (kerosene) has demonstrated experimental effects of mutagenicity.

### Tumorigenic Data

No data available

### Reproductive Toxicity

Based on best current information, there is no known reproductive toxicity associated with this product.

Based on best current information, there is no known teratogenicity associated with this product.

### Specific Target Organ Toxicity - Single Exposure

No target organs identified.

### Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

### Aspiration hazard

May be fatal if swallowed and enters airways.

### Medical Conditions Aggravated by Exposure

Chronic respiratory or skin conditions may temporarily worsen from exposure to this product.

# Safety Data Sheet

Material Name: HTS DISTILLATE

SDS ID: 82426

## Section 12 - ECOLOGICAL INFORMATION

### Component Analysis - Aquatic Toxicity

Distillates, petroleum, hydrotreated light paraffinic	64742-55-8
	LC50 96 h Oncorhynchus mykiss >5000 mg/L
	EC50 48 h Daphnia magna >1000 mg/L IUCLID
Hydrogen sulfide	7783-06-4
	LC50 96 h Lepomis macrochirus 0.0448 mg/l [flow-through]
	96 h LC50 Pimephales promelas 0.016 mg/l [flow-through]

### Invertebrate Toxicity

No additional information is available.

### Persistence and Degradability

No information available for the product.

### Bioaccumulative Potential

No information available for the product.

### Mobility

No information available for the product.

### Other Toxicity

No additional information is available.

## Section 13 - DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact Safety-Kleen regarding proper recycling or disposal.

## Section 14 - TRANSPORT INFORMATION

### US DOT Information:

Shipping Name: PETROLEUM DISTILLATES, N.O.S.

Hazard Class: 3

UN/NA #: UN1268

Packing Group: III

Required Label(s): 3



# Safety Data Sheet

Material Name: HTS DISTILLATE

SDS ID: 82426

**IATA Information:**

**Shipping Name:** PETROLEUM DISTILLATES, N.O.S.

**Hazard Class:** 3

**UN#:** UN1268

**Packing Group:** III

**Required Label(s):** 3

**IMDG Information:**

**Shipping Name:** PETROLEUM DISTILLATES, N.O.S.

**Hazard Class:** 3

**UN#:** UN1268

**Packing Group:** III

**Required Label(s):** 3

**TDG Information:**

**Shipping Name:** PETROLEUM DISTILLATES, N.O.S.

**Hazard Class:** 3

**UN#:** UN1268

**Packing Group:** III

**Required Label(s):** 3

**International Bulk Chemical Code**

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

## Section 15 - REGULATORY INFORMATION

**Canada Regulations**

**CEPA - Priority Substances List**

None of this product's components are on the list.

**Ozone Depleting Substances**

None of this product's components are on the list

**Council of Ministers of the Environment - Soil Quality Guidelines**

None of this product's components are on the list

**Council of Ministers of the Environment - Water Quality Guidelines**

None of this product's components are on the list

**U.S. Federal Regulations**

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

<b>Hydrogen sulfide</b>	<b>7783-06-4</b>
SARA 302:	500 lb TPQ
SARA 313:	1 % de minimis concentration
CERCLA:	100 lb final RQ ; 45.4 kg final RQ
OSHA (safety):	1500 lb TQ
SARA 304:	100 lb EPCRA RQ

# Safety Data Sheet

**Material Name: HTS DISTILLATE**

**SDS ID: 82426**

Chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

CAS-No.	Name	Percent by Weight
7783-06-4	Hydrogen sulfide	<0.1

**SARA Section 311/312 (40 CFR 370 Subparts B and C)**

**Acute Health: Yes Chronic Health: Yes Fire: Yes Pressure: No Reactivity: No**

**Component Analysis - Inventory**

**Distillates, petroleum, hydrotreated light paraffinic (64742-55-8)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	No	Yes

**Hydrogen sulfide (7783-06-4)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	No	Yes	Yes	Yes	Yes

**Section 16 - OTHER INFORMATION**

**NFPA Ratings**

Health: 3 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe

**Summary of Changes**

2022/02: Addition to Section 15.

**Key / Legend**

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KECI - Korea Existing Chemicals Inventory; KECL - Korea Existing Chemicals List; KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry;

## Safety Data Sheet

**Material Name: HTS DISTILLATE**

**SDS ID: 82426**

NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA – Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS - Workplace Hazardous Materials Information System (Canada).

### **Other Information**

#### **Disclaimer:**

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Safety-Kleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.